

# Work Order ID 87061

**\*87061\***

Page 1

July-10-12 2:47:17 PM

Item ID: D4435-043 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Mount Bracket Assembly  
 Start Date: 7/10/12 Start Qty: 4.00 **\*4\*** Cust Item ID:  
 Required Date: 7/10/12 Req'd Qty: 4.00 **\*4\*** Customer:  
 Reference:

Approvals: Process Plan: *[Signature]* Date: 1207-11 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4435	B

100 FLOW WATER JET 0.00  
**\*100\***  
 Waterjet Memo 0.00  
 FLOW CNC Waterjet 1-Cut D4435-3 as per Dwg  
 6061 . 040 Dwg Rev: B  
 Prog Rev: B  
 2-Deburr if necessary

4 0 Jm 12-7-22

110 QC2- Inspect parts off machine FAI/FAIB 0.00  
**\*110\***  
 QC Memo 0.00

4 0 Jm 12-7-22

120 QC8- Inspect parts - second check 0.00  
**\*120\***  
 QC Memo 0.00

4 0 Jm 12-7-22

5mB 12-7-23  
 12/19/23  
 DAS 16

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 87061

\*87061\*

Page 2

July-10-12 2:47:17 PM

Item ID: D4435-043

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Mount Bracket Assembly

Start Date: 7/10/12 Start Qty: 4.00

\*4\*

Cust Item ID:

Required Date: 7/10/12 Req'd Qty: 4.00

\*4\*

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start \*NR1\*

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Chemical Conversion Coat per QSI005 4.1	0.00							
*130*						4	0	12-7-23	
HandFinish	Memo	0.00							
Hand Finishing									
135	QC7-Inspect Chemical Conversion Coat	0.00							
*135*						4X	0	12/07/24	M-L
QC	Memo	0.00							
Quality Control									
140	Black Sandtex(Ref:4.3.5.7) per QSI005 4.3	0.00							
*140*						4X	0	12/07/24	M-L
Powdercoat									
Powder Coating									

Memo

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

10:40  
320°F  
11:10

M121274

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**\*87061\***

July-10-12 2:47:17 PM

**\*N900040100\***

Setup Start **\*NS1\***

Stop **\*NS2\***

**Start Date:** 7/10/12      **Start Qty:** 4.00      **\*4\***

**Required Date:** 7/10/12      **Req'd Qty:** 4.00      **\* / \***

**Reference:**

Run Start \*NR1\*

**Approvals:**      **Process Plan:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Tooling:** \_\_\_\_\_ **Date:** \_\_\_\_\_

Stop \*NR2\*

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

**Insp.  
Stamp**

**\*150\***

0.00

0.00

**\*160\***

0.00

1- Cut rubber seal at 3.70"  
2-Glue rubber seal to bracket as per dwg (SHEET 1, NOTE 8)

0.00

**\*170\***

0.00

## Quality Control

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 87061

\*87061\*

Page 4

July-10-12 2:47:17 PM

Item ID: D4435-043 Accept \*N900040100\* Setup Start \*NS1\*  
 Revision ID: Stop \*NS2\*  
 Item Name: Mount Bracket Assembly  
 Start Date: 7/10/12 Start Qty: 4.00 \*4\* Cust Item ID:  
 Required Date: 7/10/12 Req'd Qty: 4.00 \*4\* Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start \*NR1\*  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	Identify as per dwg & Stock Location: <u>109</u>	0.00	<u>SL</u>	<u>54</u>	<u>12/08/20</u>				
*190*									
Packaging	Memo	0.00							
Packaging									
200	QC21- Final Inspection - Work Order Release	0.00							
*200*									
QC	Memo	0.00							
Quality Control									

MCS 12/08/21  
MCS 12/08/20

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

July-10-12 2:47:16 PM

Page 1  
1

Work Order ID: 87061

Parent Item: D4435-043

Parent Item Name: Mount Bracket Assembly

Start Date: 7/10/12

Required Date: 7/10/12

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A 11.10.05 NEW ISSUE DD VERF:EC  
REV.B DD VERF:EC

IPP REV:B 12.03.06 AS PER DWG

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D4441-1 Rubber Seal		Manufactured	No			160	f	60.3626	0.308	1.232			
------------------------	--	--------------	----	--	--	-----	---	---------	-------	-------	--	--	--

Location	Loc Qty	Loc Code
prelim	6.119	
74760	6.119	
ST413	54.2436	
79385	47.0476	
80763	7.196	

M6061T6S.040 6061-T6 .040 Sheet		Purchased	No			100	sf	253.2578	0.049	0.2063158			
------------------------------------	--	-----------	----	--	--	-----	----	----------	-------	-----------	--	--	--

Location	Loc Qty	Loc Code
MAT021	253.2578	
121030	12.9178	
121099	240.34	

1.3

121030

SB 12/08/17

Jm 12-7-12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



*R1207-11*

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. *21001*



**D4435-3 BRACKET**


**NOTES:**

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK  
PER QQ-A-250/11 OR AMS-QQ-A-250/11  
OR AMS 4025 OR AMS 4027  
OR ASTM B209  
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "BLACK SANDING" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.023 lbs

**RELEASED**  
2012-03-02  
*JM*

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>140</i>	DRAWING NO. <b>D4435</b>	REV. B
MFG. APPR.	<i>E</i>	SHEET 5 OF 11	
APPROVED	<i>143</i>	TITLE <b>BRACKET</b>	SCALE
DE APPR.	<i>[Signature]</i>	NTS	
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

57061



**D4435-043 BRACKET ASSEMBLY**

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4435-043	MOUNT BRACKET ASSEMBLY
2	1	D4435-3	BRACKET
3	1	D4441-1-037	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 1.0" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL

RELEASED  
2012-03-03

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 2 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	